

osCommerce, Open Source E-Commerce Solutions

<http://www.oscommerce.com>

Option Images Products Module Copyright © 2010 by escri2

[seopedro@gmail.com](mailto:seopedro@gmail.com) | <http://www.pedroescribano.com>

Thanks to the collaboration of 'xinxi' in the project



Released under the GNU General Public License


## Módulo Option images Products for osCommerce

Module for osCommerce community to the addition of images for different products and their attributes. The contribution is based on the color attribute, adaptable to any other attribute without problems. Ideal for merchants who want to showcase their products with different colors using a selector and a mini image, all in Ajax with effect Fancy Zoom to enlarge.



Attributes Images Manager

Selecciona una opción categoría para editar:



## 1) Where do we start?

Create following folders on your server if there were not:

catalog/js

catalog/images/options [Permissions 777]

catalog/images/options/mini [Permissions 777]

## 2) Getting Started

Upload the following folders or files of the contribution:

catalog/xajax

catalog/js/js-global

catalog/images/images-global

catalog/images/options/noimg-big.gif

catalog/images/options/mini/noimg-little.gif

catalog/includes/xajax\_config.php

catalog/includes/xajax\_functions.php

catalog/admin/xajax

catalog/admin/options\_images\_products.php

catalog/admin/includes/xajax\_config.php

catalog/admin/includes/xajax\_functions.php

catalog/admin/includes/languages/espanol/options\_images\_products.php

## 3) ¡Database!

Upload file catalog/**database.sql** to our database.

## 4) Updates Fields

### PART CATALOG

catalog/includes/configure.php

-----

**Locate the next line:**

```
define('DIR_WS_IMAGES', 'images/');
```

**Add after the next code:**

```
//BOF options images products
```

```
define('DIR_WS_OPTIONS', DIR_WS_IMAGES . 'options/');
```

```
//EOF options images products
```

catalog/includes/functions/general.php

-----

**Locate the next tag at the bottom of file:**

```
?>
```

**Add before the next code:**

```
//BOF option as images products
function tep_get_images_mini($product_id, $option = 1){
    global $languages_id;
    $query = tep_db_query("SELECT pa.options_values_id, povfp.products_options_values_thumbnail_mini
    FROM " . TABLE_PRODUCTS_OPTIONS_VALUES_FOR_PRODUCTS . " povfp, " .
    TABLE_PRODUCTS_ATTRIBUTES . " pa
    WHERE pa.options_id = " . $option . "
    AND povfp.products_options_values_id = pa.options_values_id
    AND povfp.products_id = " . $product_id . "
    ");

    $array_images_mini = array();
    while($row = tep_db_fetch_array($query)){
        $option_value_id = $row['options_values_id'];
        $array_images_mini["$option_value_id"] = $row['products_options_values_thumbnail_mini'];
    } // while
    return $array_images_mini;
}
//EOF option as images products
```

catalog/includes/database\_tables.php

-----

**Locate the next line:**

```
define('TABLE_PRODUCTS_OPTIONS_VALUES', 'products_options_values');
```

**Add after the next:**

```
//BOF options images products
define('TABLE_PRODUCTS_OPTIONS_VALUES_FOR_PRODUCTS', 'products_options_values_for_products')
//EOF options images products
```

catalog/product\_info.php

-----

**Locate the next lines:**

```
$product_check_query = tep_db_query("select count(*) as total from " . TABLE_PRODUCTS . " p, " .
TABLE_PRODUCTS_DESCRIPTION . " pd where p.products_status = '1' and p.products_id = " .
(int)$HTTP_GET_VARS['products_id'] . " and pd.products_id = p.products_id and pd.language_id = " .
(int)$languages_id . " ");
$product_check = tep_db_fetch_array($product_check_query);
```

**Add after the next:**

```
//<!-- for BOF option as images products -->
//BOF xajax
require(DIR_WS_INCLUDES . 'xajax_config.php');
require(DIR_WS_INCLUDES . 'xajax_functions.php');
```

```
$xajax->processRequest();

echo '<?xml version="1.0" encoding="iso-8859-1"?>';
//EOF xajax
//<!-- for EOF option as images products -->
```

#### **Locate the next line:**

```
<link rel="stylesheet" type="text/css" href="stylesheet.css">
```

#### **Add after the next:**

```
<!-- for BOF option as images products -->
<!-- //BOF xajax -->
<?php $xajax->printJavascript(); ?>
<!-- //EOF xajax -->
<!-- for EOF option as images products -->
```

#### **Locate the next line:**

```
</head>
```

#### **Add before the next code:**

```
<!-- for BOF option as images products -->
<!-- BOF Fancy Zoom Installed -->
<script src="js/js-global/FancyZoom.js" type="text/javascript"></script>
<script src="js/js-global/FancyZoomHTML.js" type="text/javascript"></script>
<!-- EOF Fancy Zoom Installed -->
<!-- for EOF option as images products -->
```

#### **Locate the next line:**

```
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0">
```

#### **Replace with this:**

```
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
onload="setupZoom();">
```

#### **Locate the next code:**

```
<script language="javascript"><!--
document.write('<?php echo '<a href="javascript:popupWindow(\\\\" . tep_href_link(FILENAME_POPUP_IMAGE, 'pID=' .
$product_info['products_id']) . "\\\"">' .
tep_image(DIR_WS_IMAGES . $product_info['products_image'], addslashes($product_info['products_name']),
SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT, 'hspace="5" vspace="5")' . '<br>' .
TEXT_CLICK_TO_ENLARGE . '</a>'; ?>);
//--></script>
<noscript>
```

```

        <?php echo '<a href="' . tep_href_link(DIR_WS_IMAGES . $product_info['products_image']) . '" target="_blank">' .
        tep_image(DIR_WS_IMAGES . $product_info['products_image'], $product_info['products_name'],
        SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT, 'hspace="5" vspace="5")' . '<br>' .
        TEXT_CLICK_TO_ENLARGE . '</a>'; ?>
    </noscript>

```

### Replace for the next:

```

    <!-- for BOF option as images products -->
    <!-- BOF Fancy Zoom Installed -->
    <a id="id_link_enlarge" href="<?php echo DIR_WS_IMAGES . $product_info['products_image'];?>">
    <?php echo tep_image_button('image_enlarge.gif', TEXT_CLICK_TO_ENLARGE); ?></a><br />
    <a id="id_link_image" href="<?php echo DIR_WS_IMAGES . $product_info['products_image'];?>">
    <?php echo tep_image(DIR_WS_IMAGES . $product_info['products_image'],
    addslashes($product_info['products_name']), SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT,
    'hspace="5" vspace="5" id="demo");?></a>
    <!-- EOF Fancy Zoom Installed -->
    <!-- for EOF option as images products -->
    <!--BOF option as images products -->
    <!-- Mini Imagenes color Atributos -->
    <br>
    <?php
    $array_images_mini = tep_get_images_mini($product_info['products_id']);
    $contad = 1;
    echo '<div id="container_big"' ;
        foreach($array_images_mini as $id => $value){
            echo '<div style="width:30px;float:left">';
            echo '<a href="javascript:void(null)" onclick="xajax_changeColorImage(' . $id . ',' .
(int)$HTTP_GET_VARS['products_id'] . ')">' . tep_image(DIR_WS_OPTIONS . 'mini/' . $value) . '</a>';
            echo '</div>';
        }
        echo "</div>";
    ?>
    <!--EOF option as images products -->

```

### Locate the next code:

```

    <td class="main"><?php echo tep_draw_pull_down_menu('id[' . $products_options_name['products_options_id'] .
$products_options_array, $selected_attribute); ?></td>

```

### Replace by this:

```

    <!--BOF option as images products -->
    <td class="main" ><?php echo tep_draw_pull_down_menu('id[' . $products_options_name
['products_options_id'] . ']', $products_options_array, $selected_attribute,
($products_options_name['products_options_id'] == 1 ?
'id="id[' . $products_options_name['products_options_id'] . ']' onchange="xajax_changeColorImage(this.value,'
(int)$HTTP_GET_VARS['products_id'] . ')"': 'id="id[' . $products_options_name['products_options_id'] . ']'')) .
' &nbsp;';?> </td>
    <!--EOF option as images products -->

```

**.... Where the \$ products\_options\_name [ 'products\_options\_id' ] = 1 is "1" with id options\_id (Color).  
If your option\_id is different from 1, you should change this number in the previous code.**

catalog/shopping\_cart.php (OPTIONAL)

**Locate the next line:**

```
$products[$i][$option]['products_options_name'] = $attributes_values['products_options_name'];
```

**Add before the next:**

```
//BOF option images products
$attribute_image = tep_db_query("SELECT products_options_values_thumbnail
FROM " . TABLE_PRODUCTS_OPTIONS_VALUES_FOR_PRODUCTS . "
WHERE products_id = '" . tep_get_prid($products[$i]['id']) . "'
AND products_options_values_id = '" . $value . "'
AND products_options_values_thumbnail != 'noimg-big.gif'");
if (tep_db_num_rows($attribute_image) > 0) {
    $attribute_image_value = tep_db_fetch_array($attribute_image);
    $products[$i]['option_images_products'] =
        $attribute_image_value['products_options_values_thumbnail'];
}
//EOF option images products
```

**Locate the next line:**

```
$products_name = '<table border="0" cellspacing="2" cellpadding="2">' .
```

**Add before the next:**

```
//BOF option images products
if (isset($products[$i]['option_images_products']) && tep_not_null($products[$i]['option_images_products'])) {
    $products_image = tep_image(DIR_WS_IMAGES . 'options/' . $products[$i]['option_images_products'],
    $products[$i]['name'], SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT);
} else {
    $products_image = tep_image(DIR_WS_IMAGES . $products[$i]['image'], $products[$i]['name'],
    SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT);
}
//EOF option images products
```

**Locate the next line:**

```
' <td class="productListing-data" align="center"><a href="' . tep_href_link(FILENAME_PRODUCT_INFO,
'products_id=' . $products[$i]['id']) . '">' . tep_image(DIR_WS_IMAGES . $products[$i]['image'],
$products[$i]['name'], SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT) . '</a></td>' .
```

**Replace with this:**

```
//BOF option images products
' <td class="productListing-data" align="center"><a href="' . tep_href_link(FILENAME_PRODUCT_INFO,
'products_id=' . tep_get_prid($products[$i]['id'])) . '">' . $products_image . '</a></td>' .
//EOF option images products
```

## PART ADMIN

catalog/admin/includes/languages/espanol.php  
-----

### Locate the next code:

```
define('BOX_CATALOG_PRODUCTS_EXPECTED', 'Pr&oacute;ximamente');
```

### Add after the next code:

```
//<!--BOF option as images products -->  
define('BOX_CATALOG_OPTIONS_IMAGES_PRODUCTS', 'Opt.Img Products');  
//<!--EOF option as images products -->
```

catalog/admin/includes/filenames.php  
-----

### Locate the next tag at the bottom of file:

```
?>
```

### Add before the next:

```
//<!--BOF option as images products -->  
define('FILENAME_OPTIONS_IMAGES_PRODUCTS', 'options_images_products.php');  
//<!--BOF option as images products -->
```

catalog/admin/includes/database\_tables.php  
-----

### Locate the next line:

```
define('TABLE_PRODUCTS_OPTIONS_VALUES', 'products_options_values');
```

### Add after the next:

```
//<!--BOF option as images products -->  
define('TABLE_PRODUCTS_OPTIONS_VALUES_FOR_PRODUCTS', 'products_options_values_for_products');  
//<!--EOF option as images products -->
```

catalog/admin/includes/boxes/catalog.php  
-----

### Locate the next line:

```
'<a href="" . tep_href_link(FILENAME_MANUFACTURERS, "", 'NONSSL') .  
'" class="menuBoxContentLink">' . BOX_CATALOG_MANUFACTURERS . '</a><br>' .
```

### Add after the next:

```
//<!--BOF option as images products -->
    '<a href="' . tep_href_link(FILENAME_OPTIONS_IMAGES_PRODUCTS, "", 'NONSSL') . '"
class="menuBoxContentLink">' . BOX_CATALOG_OPTIONS_IMAGES_PRODUCTS . '</a><br>' .
//<!--EOF option as images products -->
```

catalog/admin/products\_attributes.php

-----

#### Locate the next code:

```
require('includes/application_top.php');
```

#### Add after the next:

```
//<!--BOF option as images products -->
global $languages_id;
//<!--EOF option as images products -->
```

#### Locate the next code:

```
case 'add_product_attributes':
    $products_id = tep_db_prepare_input($HTTP_POST_VARS['products_id']);
    $options_id = tep_db_prepare_input($HTTP_POST_VARS['options_id']);
    $values_id = tep_db_prepare_input($HTTP_POST_VARS['values_id']);
    $value_price = tep_db_prepare_input($HTTP_POST_VARS['value_price']);
    $price_prefix = tep_db_prepare_input($HTTP_POST_VARS['price_prefix']);
```

#### Add after the next:

```
//BOF option as images products
$query_attr = tep_db_query("select * from " . TABLE_PRODUCTS_OPTIONS_VALUES . " where
products_options_values_id = " . (int)$values_id . " and language_id=" . (int)$languages_id . "");
$value_name = tep_db_fetch_array($query_attr);
tep_db_query("insert into " . TABLE_PRODUCTS_OPTIONS_VALUES_FOR_PRODUCTS . "
(products_options_values_id, products_id, products_options_values_name) values
(" . (int)$values_id . ", " . (int)$products_id . ", " . $value_name['products_options_values_name'] . ")");
//EOF option as images products
```

#### Locate the next code:

```
case 'update_product_attribute':
    $products_id = tep_db_prepare_input($HTTP_POST_VARS['products_id']);
    $options_id = tep_db_prepare_input($HTTP_POST_VARS['options_id']);
    $values_id = tep_db_prepare_input($HTTP_POST_VARS['values_id']);
    $value_price = tep_db_prepare_input($HTTP_POST_VARS['value_price']);
    $price_prefix = tep_db_prepare_input($HTTP_POST_VARS['price_prefix']);
    $attribute_id = tep_db_prepare_input($HTTP_POST_VARS['attribute_id']);
```

#### Add after the next:



```
//BOF option as images products
$query_value_product = tep_db_query("select options_values_id, products_id from " .
TABLE_PRODUCTS_ATTRIBUTES . " where products_attributes_id='" . $attribute_id . "'");
if (tep_db_num_rows($query_value_product) > 0) {
    $row_value_product = tep_db_fetch_array($query_value_product);
    $values_id_back = $row_value_product['options_values_id'];
    $products_id_back = $row_value_product['products_id'];

tep_db_query("delete from " . TABLE_PRODUCTS_OPTIONS_VALUES_FOR_PRODUCTS . " where
products_options_values_id = '" . (int)$values_id_back . "' and products_id = '" . (int)$products_id_back . "'");

$query_attr = tep_db_query("select * from " . TABLE_PRODUCTS_OPTIONS_VALUES . " where
products_options_values_id = '" . (int)$values_id . "' and language_id='" . (int)$languages_id . "'");
$value_name = tep_db_fetch_array($query_attr);
tep_db_query("insert into " . TABLE_PRODUCTS_OPTIONS_VALUES_FOR_PRODUCTS . "
(products_options_values_id, products_id, products_options_values_name) values
('" . (int)$values_id . "', '" . (int)$products_id . "', '" . $value_name['products_options_values_name'] . "'");
}
//EOF option as images products
```

#### **Locate the next code:**

```
tep_db_query("delete from " . TABLE_PRODUCTS_OPTIONS_VALUES . " where
products_options_values_id = '" . (int)$value_id . "'");
tep_db_query("delete from " . TABLE_PRODUCTS_OPTIONS_VALUES . " where
products_options_values_id = '" . (int)$value_id . "'");
```

#### **Add after the next:**

```
//BOF option as images products
tep_db_query("delete from " . TABLE_PRODUCTS_OPTIONS_VALUES_FOR_PRODUCTS . " where
products_options_values_id = '" . (int)$value_id . "'");
//EOF option as images products
```

#### **Locate the next code:**

```
case 'delete_attribute':
    $attribute_id = tep_db_prepare_input($HTTP_GET_VARS['attribute_id']);
```

#### **Add after the next:**

```
//BOF option as images products
$query_value_product = tep_db_query("select options_values_id, products_id from " .
TABLE_PRODUCTS_ATTRIBUTES . " where products_attributes_id='" . $attribute_id . "'");
if (tep_db_num_rows($query_value_product) > 0) {
    $row_value_product = tep_db_fetch_array($query_value_product);
    $values_id = $row_value_product['options_values_id'];
    $products_id = $row_value_product['products_id'];

tep_db_query("delete from " . TABLE_PRODUCTS_OPTIONS_VALUES_FOR_PRODUCTS . " where
products_options_values_id = '" . (int)$values_id . "' and products_id = '" . (int)$products_id . "'");
```

}  
//EOF option as images products

## **5) Contribute to the Community**

If this manual has been useful and believe that he deserves a reward, here attached his paypal account.



ES-CRI @ HOTMAIL.COM